



## 38 Super Auto +P

.355"	9mm GDHP	9mm TMJ® RN
Weight (grains)	115	115
Ballistic Coefficient	0.125	0.151
Sectional Density	0.130	0.130
COAL Tested	1.260"	1.270"
Speer Part No.	3994	3995

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Blue Dot	Winchester	CCI 500	9.0	1265	<b>10.0 C</b>	1362
Accurate No. 7	Winchester	CCI 500	9.5	1219	<b>10.5</b>	1328
Accurate No. 5	Winchester	CCI 500	7.8	1229	<b>8.6</b>	1326
Accurate No. 9	Winchester	CCI 500	11.7	1222	<b>12.7 C</b>	1324
Vihtavuori 3N37	Winchester	CCI 500	7.0	1188	<b>7.7</b>	1323
Winchester WSF	Winchester	CCI 500	6.2	1164	<b>6.8</b>	1282
Hodgdon H. Universal	Winchester	CCI 500	5.7	1145	<b>6.3</b>	1278
Alliant Herco	Winchester	CCI 500	7.0	1232	<b>7.8C</b>	1276
Hodgdon HS-6	Winchester	CCI 500	8.0	1177	<b>8.8</b>	1253

**WARNING:** Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

*Maximum loads should be used with CAUTION • C = Compressed Load*